

Product Fact Sheet



1. eneloop Basic Battery Checker Kit



A. Main Features

- A battery indicator on the LED nose of the eneloop (the dog icon) shows the remaining capacity of the AA-sized eneloop battery
- Using attached feeder as an extension, you can test AAA-sized eneloop battery too

B. LED Indicator




Green
Fully charged



Orange
Partially charged



Red
Needs to be recharged



Light Off
No remaining power

C: eneloop Kit includes

- eneloop basic battery checker x 1
- AA-sized eneloop Ready-to-use rechargeable battery x 2
- Feeder (Spacer for AAA eneloop) x 2
- Bone (Insert into slot to remove battery) x 2

D: How to insert and check?

1. Slide open eneloop and insert the battery
2. For AAA-sized eneloop, inset spacer to fit the battery in the eneloop
3. Slide the rear legs back to the normal position
4. Press the switch on the chest button and the colour of the LED indicator on the nose of eneloop will show the battery level status.



Product Fact Sheet

E: How to remove?

1. Slide the rear legs of eneloop to open it and push out the battery by inserting a bone (provided in the pack) into the space


Step-by-step demonstration

1



Coming with two Feeders (spacer for AAA-size eneloop) and two bones (tool for taking out a battery)

2



Insert a battery and press the switch on the chest to check approximate remaining battery level.

3



Place AAA-size battery into a Feeder and set it in the dog's body.

4



Use a bone to take out a battery.



Product Fact Sheet

F: Specifications

Product Name		eneloop rechargeable batteries with “eneloopy”		
Set Content		“eneloopy” Battery Checker x 1		
		AA-size “eneloop” batteries x 2		
		Feeder (spacer for AAA-size “eneloop”) x 2		
		Bone (tool for taking out a battery) x 2		
Package Dimensions		133mm (W) x 38mm (D) x 161mm (H)		
eneloopy NC-ELP1-SP	Dimensions	104mm (L) x 36mm (W) x 60mm (H)		
	Weight	Approx. 31 g (without batteries)		
	Battery Level Indication (approx. * ¹)	<i>Indicator LED Colors</i>	<i>Battery Level Status (approx.)</i>	
		Green	Fully charged	
		Orange	Partially charged	
Red		Needs to be recharged		
	Light Off	No remaining power		
AA-size “eneloop” HR-3UTG	Nominal Voltage	1.2V		
	Rating Capacity (Min.) * ²	1900mAH		
	Dimensions	14.35(Diameter) x 50.4mm (Height)		
	Weight	Approx. 27g		

*¹ LED colors only indicate approximate battery level status. Actual battery level and the color of LED may not match due to the battery condition, storage condition, etc.

*² Minimum (min.) battery capacity based on the JIS C8708 2007(7.2.1) testing conditions

G: Price & Availability

The eneloopy kit will be first available from 21st November onwards at Anime Festival Asia 2009 at Suntec Convention Centre.

The kit is sold at a recommended retail price of S\$25.90 (including GST) and will be made available to other members of the public by end December at Challenger, Best Denki, Homefix, Selfix DIY, Meidi-Ya and other major electronics stores.

To find out more about eneloopy, please visit eneloopy website at <http://www.eneloopy.sg>